

# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

February 28, 2007

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: United States Patent for *Multilayer Nonwovens  
Incorporating Differential Cross-Sections*  
Application No. 10/725,222; Filed December 1, 2003  
Patent No. 7,153,793; Issued December 26, 2006  
Our File 038712/272022

---

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,



Raymond O. Linker, Jr.  
Registration No. 26,419

ROL:mf  
Enclosures

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,153,793 B2

Page 1 of 1

APPLICATION NO. : 10/725,222

ISSUE DATE : December 26, 2006

INVENTOR(S) : Willis et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10.

Line 7, "fanned" should read --formed--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000